GOLDEN STATE ORTHOPEDICS & SPINE Rehabilitation Protocol: Anterior Cruciate Ligament (ACL) Reconstruction with Bone-Patellar Tendon-Bone Allograft

Name:	Date:
Diagnosis:	Date of Surgery:
 transplant or articular cartilage procedure is Hinged Knee Brace: Locked in full extension for ambulation Unlocked for ambulation and removed Range of Motion – AAROM → AROM as toler Therapeutic Exercises Quad/Hamstring sets and heel slides 	on and sleeping (Weeks 0-1) d while sleeping (Weeks 1-4) rated
	xtension until quad strength prevents extension lag
extension lag • Range of Motion – Maintain full knee extens • Therapeutic Exercises • Closed chain extension exercises • Hamstring curls • Toe raises • Balance exercises • Progress to weightbearing stretch of to Begin use of the stationary bicycle	when patient has achieved full extension with no evidence of
 Phase III (Weeks 6-16) Weightbearing: Full weightbearing Range of Motion – Full/Painless ROM Therapeutic Exercises Advance closed chain strengthening e Begin use of the Stairmaster/Elliptica Can Start Straight Ahead Running a 	l
Phase IV (Months 4-6)	cific drills
Comments:	
Frequency: times per week Durati	ion: weeks
Signature:	Date:

DR CHARLES PRESTON REHABILITATION PROTOCOLS