

GOLDEN STATE ORTHOPEDICS & SPINE High Tibial Osteotomy Post-Operative Rehabilitation Protocol

Name:	Date:
Diagnosis:	Date of Surgery:
 Advance to full weightbearing Hinged Knee Brace: Locked in extens Range of Motion: AROM/AAROM/PR Therapeutic Exercises: Heel slides 0 	with crutches and brace locked in extension (0-2 weeks) g with crutches and brace locked in extension (2-4 weeks) sion for all activities (including sleeping) – removed for PT ROM – Goal of 0-90 degrees under guidance of PT 1-90 degrees, quad sets, ankle pumps, non-weightbearing calf/hamstring e locked in full extension, resisted ankle dorsiflexion/plantarflexion
• Range of Motion: AROM/AAROM/PR	nbulation – May remove at night for sleeping ROM – Goal of 0-120 degrees under guidance of PT ase I exercises, straight leg raise with out of brace if capable of maintaining fu
 Hinged Knee Brace: Discontinue if ca Range of Motion: AROM/AAROM/PR Therapeutic Exercises: Mini-squats 	ne use of crutches – Goal is normal gait pattern apable of straight leg raise without extensor lag ROM – Goal: Full pain-free ROM 0-45 degrees, progress to step-ups, leg press 0-60 degrees, closed chain balance activities, hamstring curls, may increase to moderate resistance on th
Phase IV: 3-9 Months • Weightbearing: • Full weightbearing with a nor • Range of Motion: Full pain-free ROM • Therapeutic Exercises: Progress close activities	
Comments:	
Frequency: times per week	Duration: weeks
Signature:	Date:

DR CHARLES PRESTON **REHABILITATION PROTOCOLS**