GOLDEN STATE ORTHOPEDICS & SPINE Tibial Tubercle Osteotomy (Distal Realignment) PostOperative Rehabilitation Protocol

Name:	Date:
Diagnosis:	Date of Surgery:
 Unlocked for all activities – removed for Wean from brace (6-8 weeks) Range of Motion: Immediate ROM as tolerated Therapeutic Exercises: Weeks 1-6: quad sets, co-contractions, i Weeks 6-10: straight leg raises, partial vegrees), continue previous exercises 	ted (6-12 weeks) Cluding sleeping)– removed for PT and showering (0-2 weeks)
Phase II: 12-16 Weeks	t pattern g at slow pace, progress to balance/proprioception exercises, initiate
Phase III: 16-20 Weeks • Weightbearing: Full with a normal gait patt • Hinged Knee Brace: None • Range of Motion: Full/Painless ROM • Therapeutic Exercises: Advance closed chain so walking forward and backward on the treadmill	strengthening exercises, focus on single leg strength, progress to
program o May return to impact activities/athlet	training, emphasize single leg loading, progressive running/agility tics at 12-16 months post-op with physician clearance
Comments: Frequency: times per week	Duration: weeks
Signature	Date

DR CHARLES PRESTON **REHABILITATION PROTOCOLS**